



## **AluKlene- Sonic**

An aluminium brightener solution, which is a concentrate and can be used at different dilutions for ultrasonic cleaning. It is suitable for aluminium, stainless steel, copper, brass, and non-ferrous metals. It can be used to brighten Aluminium castings; for example Carburettors.

When being used with Aluminium a test sample should be cleaned to ensure that due to the wide differences in the composition and manufacturing approaches in producing the alloy, the solution will not have a detrimental effect on the surface of the part.

In just seconds, the industrial strength formula dissolves grease, oil stains, grime and road film. Dilute 100ml, 200ml or 300ml per 4.5 litres of water depending on the cleaning job. The solution will work with in a temperature range of 40°C to 60°C.

This preparation is also ideal for brightening aluminium before anodising. Reduces buffing time and effort

**GENERAL PROCEDURES:** Keep in closed container in a dry, well-ventilated area away from incompatible materials. Wash thoroughly after handling containers as even those that have been emptied will retain product residue and vapours. Always obey hazard warnings on container, as if they were full.

**STORAGE:** Store in a tightly closed container.

### **Disclaimer:**

The data contained herein are furnished for information only and are believed to be reliable. We cannot assume responsibility for the results obtained by others over whose methods we have no control. It is the user's responsibility to determine suitability for the user's purpose of any production methods mentioned herein and to adopt such precautions as may be advisable for the protection of property and of persons against any hazards that may be involved in the handling and use thereof